



SELECTION SOFTWARE

SELECTION SOFTWARE



For the individual design of our ACI coolers we provide our customers with an easy to use online software. The three calculators enable a quick and safe calculation of the suitable bellhousings, couplings, tank heaters and coolers.

HIGHLIGHTS

- Flexible display for PC, tablet or smartphone
- Runs in every modern web browser
- Login with your HBE customer number
- Access to all HBE calculation programs with one registration
- Guest access possible
- Simple user interface for quick value adjustments



P+ CALCULATOR

- Calculation of bell housings, couplings and accessories
- For more than 4,000 pumps from around 150 manufacturers
- For IEC, NEMA, combustion and servo motors
- ATEX approved products at just one click
- Specific data and prices already during project planning
- Product data as DXF, STP or PDF

HT CALCULATOR

- Calculation of heating performances
- Design of suitable tank heaters
- Approx. 100 different standard tank heaters on file


AC+ CALCULATOR

- Calculation of the required cooling capacity
- Design of suitable oil-air cooler
- Technical specification and dimension sheet as PDF download


1725 - PTHK 90 - G1 1/2" 1200MM 2400 W 2x400V

PTHK Cartridge tank heater
without thermostat
Connecting thread: G1 1/2
U = 2 x 400 V
HLP Hydraulic oil on mineral oil base
Protection class: IP 65
Surface charge: 1.5 W/cm²

Type	Length	Power	Art. No.
PTHK 90	1200	2400 W	1725



Example



Example

To find under



<https://login.hbe-hydraulics.com/>

Online catalogue



epaper.hbe-hydraulics.com/en

HBE hydraulic
components

HBE GmbH
Hönnestraße 47
58809 Neuenrade / Germany
Phone +49 (0) 23 94 / 616-0
info@hbe-hydraulics.com
www.hbe-hydraulics.com



A company of
e.holding
FLUID TECHNOLOGY GROUP

09/23 www.plakart.de