




	Description	Order no.	Net price
ball bearing	PS 2001450001 (NCR608B2)	4000-0000	140,50 €
sealing ring	without		
center hub	Center 2008.36 SAE16329 S1	6000	42,10 €
pump hub	2008.2008.36 SAE16329 S	6000	200,00 €
spacer	Center 2008.36 SAE16329 S	6000	7,20 €
ball bracket	without		
without	without		
without	without		

# Selection software

## Selection software



For the individual configuration of our products, we provide our customers with an easy-to-use online software tool. The three calculators enable a quick and reliable calculation of suitable bellhousings, couplings, heaters, and coolers.

### Highlights

- Flexible display for PC, tablet or smartphone
- Runs in every modern web browser
- Login with your HBE customer number
- Access to all HBE calculation programs with one registration
- Guest access possible
- Simple user interface for quick value adjustments



### P+ Calculator

- Calculation of bell housings, couplings and accessories
- For more than 4,000 pumps from around 150 manufacturers
- For IEC, NEMA, combustion and servo motors
- ATEX approved products at just one click
- Specific data and prices already during project planning
- Product data as DXF, STP or PDF

### HT Calculator

- Calculation of heating performances
- Design of suitable tank heaters
- Approx. 100 different standard tank heaters on file

### PW+ Calculator

- Calculation of the required cooling capacity
- Selection of suitable oil-water coolers
- Database of approximately 100 different standard brased plate heat exchangers
- Technical specifications and dimension sheets as PDF download


### AC+ Calculator

- Calculation of the required cooling capacity
- Design of suitable oil-air cooler
- Technical specification and dimension sheet as PDF download


#### 1725 – PTHK 90 – G1 1/2" 1200MM 2400 W 2x400V

PTHK Cartridge tank heater  
 without thermostat  
 Connecting thread: G1 1/2  
 U = 2 x 400 V  
 HLP Hydraulic oil on mineral oil base  
 Protection class: IP 65  
 Surface charge: 1.5 W/cm<sup>2</sup>

Type	Length	Power	Art. No.
PTHK 90	1200	2400 W	1725



Example



Example

Calculator log-in



[login.hbe-hydraulics.com](https://login.hbe-hydraulics.com)

Online catalogue



[epaper.hbe-hydraulics.com/en](http://epaper.hbe-hydraulics.com/en)

**HBE** hydraulic  
components

HBE GmbH  
Hönnestraße 47  
58809 Neuenrade / Germany  
Phone +49 (0) 23 94 / 616-0  
[info@hbe-hydraulics.com](mailto:info@hbe-hydraulics.com)  
[hbe-hydraulics.com](http://hbe-hydraulics.com)



A company of  
**e.holding**  
FLUID TECHNOLOGY GROUP